

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
		16		0.0031	1.98	0.0104	0.016	0.0625	1.59
		15		0.0041	2.63	0.0138	0.021	0.0720	1.83
0.5	3.2	14		0.005	3.23	0.017	0.025	0.080	2.03
0.6	3.9			0.006	3.87	0.020	0.030	0.087	2.22
0.7	4.5	13		0.007	4.52	0.024	0.035	0.094	2.40
0.8	5.2			0.008	5.16	0.027	0.041	0.101	2.56
0.9	5.8	12		0.009	5.81	0.031	0.046	0.107	2.72
1.0	6.5			0.010	6.45	0.034	0.051	0.113	2.87
1.1	7.1	11		0.011	7.10	0.037	0.056	0.118	3.01
1.2	7.7			0.012	7.74	0.041	0.061	0.124	3.14
1.3	8.4			0.013	8.39	0.044	0.066	0.129	3.27
1.4	9.0	10		0.014	9.03	0.048	0.071	0.134	3.39
1.5	9.7			0.015	9.68	0.051	0.076	0.138	3.51
1.6	10.3			0.016	10.32	0.054	0.081	0.143	3.63
1.7	11.0	9		0.017	10.97	0.058	0.086	0.147	3.74
1.8	11.6			0.018	11.61	0.061	0.091	0.151	3.85
1.9	12.3			0.019	12.26	0.065	0.096	0.156	3.95
2.0	12.9			0.020	12.90	0.068	0.101	0.160	4.05
2.1	13.5	8		0.021	13.55	0.071	0.106	0.164	4.15
2.2	14.2			0.022	14.19	0.075	0.111	0.167	4.25
2.3	14.8			0.023	14.84	0.078	0.116	0.171	4.35
2.4	15.5			0.024	15.48	0.082	0.122	0.175	4.44
2.5	16.1	7		0.025	16.13	0.085	0.127	0.178	4.53
2.6	16.8			0.026	16.77	0.088	0.132	0.182	4.62
2.7	17.4			0.027	17.42	0.092	0.137	0.185	4.71
2.8	18.1			0.028	18.06	0.095	0.142	0.189	4.80
2.9	18.7	6		0.029	18.71	0.099	0.147	0.192	4.88
3.0	19.4			0.030	19.35	0.102	0.152	0.195	4.96
3.1	20.0			0.031	20.00	0.105	0.157	0.199	5.05
3.2	20.6			0.032	20.65	0.109	0.162	0.202	5.13
3.3	21.3			0.033	21.29	0.112	0.167	0.205	5.21
3.4	21.9	5		0.034	21.94	0.116	0.172	0.208	5.28
3.5	22.6			0.035	22.58	0.119	0.177	0.211	5.36
3.6	23.2			0.036	23.23	0.122	0.182	0.214	5.44
3.7	23.9			0.037	23.87	0.126	0.187	0.217	5.51
3.8	24.5			0.038	24.52	0.129	0.192	0.220	5.59
3.9	25.2			0.039	25.16	0.133	0.198	0.223	5.66
4.0	25.8	4		0.040	25.81	0.136	0.203	0.226	5.73
4.1	26.5			0.041	26.45	0.139	0.208	0.228	5.80
4.2	27.1			0.042	27.10	0.143	0.213	0.231	5.87
4.3	27.7	3 1/2		0.043	27.74	0.146	0.218	0.234	5.94
4.4	28.4			0.044	28.39	0.150	0.223	0.237	6.01
4.5	29.0			0.045	29.03	0.153	0.228	0.239	6.08
4.6	29.7			0.046	29.68	0.156	0.233	0.242	6.15
4.7	30.3	3		0.047	30.32	0.160	0.238	0.245	6.21
4.8	31.0			0.048	30.97	0.163	0.243	0.247	6.28
4.9	31.6			0.049	31.61	0.167	0.248	0.250	6.34

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
5.0	32.3	21/2		0.050	32.26	0.170	0.253	0.252	6.41
5.1	32.9			0.051	32.90	0.173	0.258	0.255	6.47
5.2	33.5			0.052	33.55	0.177	0.263	0.257	6.54
5.3	34.2			0.053	34.19	0.180	0.268	0.260	6.60
5.4	34.8	2		0.054	34.84	0.184	0.273	0.262	6.66
5.5	35.5			0.055	35.48	0.187	0.279	0.265	6.72
5.6	36.1			0.056	36.13	0.190	0.284	0.267	6.78
5.7	36.8			0.057	36.77	0.194	0.289	0.269	6.84
5.8	37.4			0.058	37.42	0.197	0.294	0.272	6.90
5.9	38.1	11/2		0.059	38.06	0.201	0.299	0.274	6.96
6.0	38.7			0.060	38.71	0.204	0.304	0.276	7.02
6.1	39.4			0.061	39.35	0.207	0.309	0.279	7.08
6.2	40.0			0.062	40.00	0.211	0.314	0.281	7.14
6.3	40.6	1		0.063	40.65	0.214	0.319	0.283	7.19
6.4	41.3			0.064	41.29	0.218	0.324	0.285	7.25
6.5	41.9			0.065	41.94	0.221	0.329	0.288	7.31
6.6	42.6			0.066	42.58	0.224	0.334	0.290	7.36
6.7	43.2			0.067	43.23	0.228	0.339	0.292	7.42
6.8	43.9	01/2		0.068	43.87	0.231	0.344	0.294	7.47
6.9	44.5			0.069	44.52	0.235	0.349	0.296	7.53
7.0	45.2			0.070	45.16	0.238	0.355	0.299	7.58
7.1	45.8			0.071	45.81	0.241	0.360	0.301	7.64
7.2	46.5			0.072	46.45	0.245	0.365	0.303	7.69
7.3	47.1			0.073	47.10	0.248	0.370	0.305	7.74
7.4	47.7	0		0.074	47.74	0.252	0.375	0.307	7.80
7.5	48.4			0.075	48.39	0.255	0.380	0.309	7.85
7.6	49.0			0.076	49.03	0.258	0.385	0.311	7.90
7.7	49.7			0.077	49.68	0.262	0.390	0.313	7.95
7.8	50.3			0.078	50.32	0.265	0.395	0.315	8.00
7.9	51.0			0.079	50.97	0.269	0.400	0.317	8.06
8.0	51.6	001/2		0.080	51.61	0.272	0.405	0.319	8.11
8.1	52.3			0.081	52.26	0.275	0.410	0.321	8.16
8.2	52.9			0.082	52.90	0.279	0.415	0.323	8.21
8.3	53.5			0.083	53.55	0.282	0.420	0.325	8.26
8.4	54.2			0.084	54.19	0.286	0.425	0.327	8.31
8.5	54.8			0.085	54.84	0.289	0.430	0.329	8.36
8.6	55.5	00		0.086	55.48	0.292	0.436	0.331	8.41
8.7	56.1			0.087	56.13	0.296	0.441	0.333	8.45
8.8	56.8			0.088	56.77	0.299	0.446	0.335	8.50
8.9	57.4			0.089	57.42	0.303	0.451	0.337	8.55
9.0	58.1			0.090	58.06	0.306	0.456	0.339	8.60
9.1	58.7			0.091	58.71	0.309	0.461	0.340	8.65
9.2	59.4			0.092	59.35	0.313	0.466	0.342	8.69
9.3	60.0			0.093	60.00	0.316	0.471	0.344	8.74
9.4	60.6			0.094	60.65	0.320	0.476	0.346	8.79
9.5	61.3	0001/2		0.095	61.29	0.323	0.481	0.348	8.83
9.6	61.9			0.096	61.94	0.326	0.486	0.350	8.88
9.7	62.6			0.097	62.58	0.330	0.491	0.351	8.93
9.8	63.2			0.098	63.23	0.333	0.496	0.353	8.97
9.9	63.9			0.099	63.87	0.337	0.501	0.355	9.02

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
10.0	64.5	000	#3 / 10M	0.100	64.52	0.340	0.506	0.357	9.06
10.1	65.2			0.101	65.16	0.343	0.512	0.359	9.11
10.2	65.8			0.102	65.81	0.347	0.517	0.360	9.15
10.3	66.5			0.103	66.45	0.350	0.522	0.362	9.20
10.4	67.1			0.104	67.10	0.354	0.527	0.364	9.24
10.5	67.7			0.105	67.74	0.357	0.532	0.366	9.29
10.6	68.4			0.106	68.39	0.360	0.537	0.367	9.33
10.7	69.0			0.107	69.03	0.364	0.542	0.369	9.38
10.8	69.7			0.108	69.68	0.367	0.547	0.371	9.42
10.9	70.3			0.109	70.32	0.371	0.552	0.373	9.46
11.0	71.0	00001/2	#3 / 10M	0.110	70.97	0.374	0.557	0.374	9.51
11.1	71.6			0.111	71.61	0.377	0.562	0.376	9.55
11.2	72.3			0.112	72.26	0.381	0.567	0.378	9.59
11.3	72.9			0.113	72.90	0.384	0.572	0.379	9.63
11.4	73.5			0.114	73.55	0.388	0.577	0.381	9.68
11.5	74.2			0.115	74.19	0.391	0.582	0.383	9.72
11.6	74.8			0.116	74.84	0.394	0.587	0.384	9.76
11.7	75.5			0.117	75.48	0.398	0.593	0.386	9.80
11.8	76.1			0.118	76.13	0.401	0.598	0.388	9.85
11.9	76.8			0.119	76.77	0.405	0.603	0.389	9.89
12.0	77.4	0000	#3 / 10M	0.120	77.42	0.408	0.608	0.391	9.93
12.1	78.1			0.121	78.06	0.411	0.613	0.393	9.97
12.2	78.7			0.122	78.71	0.415	0.618	0.394	10.01
12.3	79.4			0.123	79.35	0.418	0.623	0.396	10.05
12.4	80.0			0.124	80.00	0.422	0.628	0.397	10.09
12.5	80.6			0.125	80.65	0.425	0.633	0.399	10.13
12.6	81.3			0.126	81.29	0.428	0.638	0.401	10.17
12.7	81.9			0.127	81.94	0.432	0.643	0.402	10.21
12.8	82.6			0.128	82.58	0.435	0.648	0.404	10.25
12.9	83.2			0.129	83.23	0.439	0.653	0.405	10.29
13.0	83.9	5/0	#3 / 10M	0.130	83.87	0.442	0.658	0.407	10.33
13.1	84.5			0.131	84.52	0.445	0.663	0.408	10.37
13.2	85.2			0.132	85.16	0.449	0.669	0.410	10.41
13.3	85.8			0.133	85.81	0.452	0.674	0.412	10.45
13.4	86.5			0.134	86.45	0.456	0.679	0.413	10.49
13.5	87.1			0.135	87.10	0.459	0.684	0.415	10.53
13.6	87.7			0.136	87.74	0.462	0.689	0.416	10.57
13.7	88.4			0.137	88.39	0.466	0.694	0.418	10.61
13.8	89.0			0.138	89.03	0.469	0.699	0.419	10.65
13.9	89.7			0.139	89.68	0.473	0.704	0.421	10.69
14.0	90.3	5/0	#3 / 10M	0.140	90.32	0.476	0.709	0.422	10.72
14.1	91.0			0.141	90.97	0.479	0.714	0.424	10.76
14.2	91.6			0.142	91.61	0.483	0.719	0.425	10.80
14.3	92.3			0.143	92.26	0.486	0.724	0.427	10.84
14.4	92.9			0.144	92.90	0.490	0.729	0.428	10.88
14.5	93.5			0.145	93.55	0.493	0.734	0.430	10.91
14.6	94.2			0.146	94.19	0.496	0.739	0.431	10.95
14.7	94.8			0.147	94.84	0.500	0.744	0.433	10.99
14.8	95.5			0.148	95.48	0.503	0.750	0.434	11.03
14.9	96.1			0.149	96.13	0.507	0.755	0.436	11.06

Wire Size			Bar	Area		Weight		Diameter		
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm	
15.0	96.8	6/0		0.150	96.77	0.510	0.760	0.437	11.10	
15.1	97.4				0.151	97.42	0.513	0.765	0.438	11.14
15.2	98.1				0.152	98.06	0.517	0.770	0.440	11.17
15.3	98.7				0.153	98.71	0.520	0.775	0.441	11.21
15.4	99.4				0.154	99.35	0.524	0.780	0.443	11.25
15.5	100.0				0.155	100.00	0.527	0.785	0.444	11.28
15.6	100.6				0.156	100.64	0.530	0.790	0.446	11.32
15.7	101.3				0.157	101.29	0.534	0.795	0.447	11.36
15.8	101.9				0.158	101.94	0.537	0.800	0.449	11.39
15.9	102.6				0.159	102.58	0.541	0.805	0.450	11.43
16.0	103.2				0.160	103.23	0.544	0.810	0.451	11.46
16.1	103.9				0.161	103.87	0.547	0.815	0.453	11.50
16.2	104.5				0.162	104.52	0.551	0.820	0.454	11.54
16.3	105.2				0.163	105.16	0.554	0.826	0.456	11.57
16.4	105.8				0.164	105.81	0.558	0.831	0.457	11.61
16.5	106.5				0.165	106.45	0.561	0.836	0.458	11.64
16.6	107.1			0.166	107.10	0.564	0.841	0.460	11.68	
16.7	107.7			0.167	107.74	0.568	0.846	0.461	11.71	
16.8	108.4			0.168	108.39	0.571	0.851	0.462	11.75	
16.9	109.0			0.169	109.03	0.575	0.856	0.464	11.78	
17.0	109.7			0.170	109.68	0.578	0.861	0.465	11.82	
17.1	110.3			0.171	110.32	0.581	0.866	0.467	11.85	
17.2	111.0			0.172	110.97	0.585	0.871	0.468	11.89	
17.3	111.6			0.173	111.61	0.588	0.876	0.469	11.92	
17.4	112.3			0.174	112.26	0.592	0.881	0.471	11.96	
17.5	112.9			0.175	112.90	0.595	0.886	0.472	11.99	
17.6	113.5			0.176	113.55	0.598	0.891	0.473	12.02	
17.7	114.2			0.177	114.19	0.602	0.896	0.475	12.06	
17.8	114.8			0.178	114.84	0.605	0.901	0.476	12.09	
17.9	115.5			0.179	115.48	0.609	0.907	0.477	12.13	
18.0	116.1			0.180	116.13	0.612	0.912	0.479	12.16	
18.1	116.8			0.181	116.77	0.615	0.917	0.480	12.19	
18.2	117.4			0.182	117.42	0.619	0.922	0.481	12.23	
18.3	118.1			0.183	118.06	0.622	0.927	0.483	12.26	
18.4	118.7			0.184	118.71	0.626	0.932	0.484	12.29	
18.5	119.4			0.185	119.35	0.629	0.937	0.485	12.33	
18.6	120.0			0.186	120.00	0.632	0.942	0.487	12.36	
18.7	120.6			0.187	120.64	0.636	0.947	0.488	12.39	
18.8	121.3			0.188	121.29	0.639	0.952	0.489	12.43	
18.9	121.9			0.189	121.94	0.643	0.957	0.491	12.46	
19.0	122.6	7/0		0.190	122.58	0.646	0.962	0.492	12.49	
19.1	123.2			0.191	123.23	0.649	0.967	0.493	12.53	
19.2	123.9			0.192	123.87	0.653	0.972	0.494	12.56	
19.3	124.5			0.193	124.52	0.656	0.977	0.496	12.59	
19.4	125.2			0.194	125.16	0.660	0.983	0.497	12.62	
19.5	125.8			0.195	125.81	0.663	0.988	0.498	12.66	
19.6	126.5			0.196	126.45	0.666	0.993	0.500	12.69	
19.7	127.1			0.197	127.10	0.670	0.998	0.501	12.72	
19.8	127.7			0.198	127.74	0.673	1.003	0.502	12.75	
19.9	128.4			0.199	128.39	0.677	1.008	0.503	12.79	

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
20.0	129.0		#4 / 13M	0.200	129.03	0.680	1.013	0.505	12.82
20.1	129.7			0.201	129.68	0.683	1.018	0.506	12.85
20.2	130.3			0.202	130.32	0.687	1.023	0.507	12.88
20.3	131.0			0.203	130.97	0.690	1.028	0.508	12.91
20.4	131.6			0.204	131.61	0.694	1.033	0.510	12.95
20.5	132.3			0.205	132.26	0.697	1.038	0.511	12.98
20.6	132.9			0.206	132.90	0.700	1.043	0.512	13.01
20.7	133.5			0.207	133.55	0.704	1.048	0.513	13.04
20.8	134.2			0.208	134.19	0.707	1.053	0.515	13.07
20.9	134.8			0.209	134.84	0.711	1.058	0.516	13.10
21.0	135.5			0.210	135.48	0.714	1.064	0.517	13.13
21.1	136.1			0.211	136.13	0.717	1.069	0.518	13.17
21.2	136.8			0.212	136.77	0.721	1.074	0.520	13.20
21.3	137.4			0.213	137.42	0.724	1.079	0.521	13.23
21.4	138.1			0.214	138.06	0.728	1.084	0.522	13.26
21.5	138.7			0.215	138.71	0.731	1.089	0.523	13.29
21.6	139.4			0.216	139.35	0.734	1.094	0.524	13.32
21.7	140.0			0.217	140.00	0.738	1.099	0.526	13.35
21.8	140.6			0.218	140.64	0.741	1.104	0.527	13.38
21.9	141.3		0.219	141.29	0.745	1.109	0.528	13.41	
22.0	141.9		0.220	141.94	0.748	1.114	0.529	13.44	
22.1	142.6		0.221	142.58	0.751	1.119	0.530	13.47	
22.2	143.2		0.222	143.23	0.755	1.124	0.532	13.50	
22.3	143.9		0.223	143.87	0.758	1.129	0.533	13.53	
22.4	144.5		0.224	144.52	0.762	1.134	0.534	13.56	
22.5	145.2		0.225	145.16	0.765	1.140	0.535	13.60	
22.6	145.8		0.226	145.81	0.768	1.145	0.536	13.63	
22.7	146.5		0.227	146.45	0.772	1.150	0.538	13.66	
22.8	147.1		0.228	147.10	0.775	1.155	0.539	13.69	
22.9	147.7		0.229	147.74	0.779	1.160	0.540	13.72	
23.0	148.4		0.230	148.39	0.782	1.165	0.541	13.75	
23.1	149.0		0.231	149.03	0.785	1.170	0.542	13.78	
23.2	149.7		0.232	149.68	0.789	1.175	0.543	13.80	
23.3	150.3		0.233	150.32	0.792	1.180	0.545	13.83	
23.4	151.0		0.234	150.97	0.796	1.185	0.546	13.86	
23.5	151.6		0.235	151.61	0.799	1.190	0.547	13.89	
23.6	152.3		0.236	152.26	0.802	1.195	0.548	13.92	
23.7	152.9		0.237	152.90	0.806	1.200	0.549	13.95	
23.8	153.5		0.238	153.55	0.809	1.205	0.550	13.98	
23.9	154.2		0.239	154.19	0.813	1.210	0.552	14.01	
24.0	154.8		0.240	154.84	0.816	1.215	0.553	14.04	
24.1	155.5		0.241	155.48	0.819	1.221	0.554	14.07	
24.2	156.1		0.242	156.13	0.823	1.226	0.555	14.10	
24.3	156.8		0.243	156.77	0.826	1.231	0.556	14.13	
24.4	157.4		0.244	157.42	0.830	1.236	0.557	14.16	
24.5	158.1		0.245	158.06	0.833	1.241	0.559	14.19	
24.6	158.7		0.246	158.71	0.836	1.246	0.560	14.22	
24.7	159.4		0.247	159.35	0.840	1.251	0.561	14.24	
24.8	160.0		0.248	160.00	0.843	1.256	0.562	14.27	
24.9	160.6		0.249	160.64	0.847	1.261	0.563	14.30	

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
25.0	161.3			0.250	161.29	0.850	1.266	0.564	14.33
25.1	161.9			0.251	161.94	0.853	1.271	0.565	14.36
25.2	162.6			0.252	162.58	0.857	1.276	0.566	14.39
25.3	163.2			0.253	163.23	0.860	1.281	0.568	14.42
25.4	163.9			0.254	163.87	0.864	1.286	0.569	14.44
25.5	164.5			0.255	164.52	0.867	1.291	0.570	14.47
25.6	165.2			0.256	165.16	0.870	1.297	0.571	14.50
25.7	165.8			0.257	165.81	0.874	1.302	0.572	14.53
25.8	166.5			0.258	166.45	0.877	1.307	0.573	14.56
25.9	167.1			0.259	167.10	0.881	1.312	0.574	14.59
26.0	167.7			0.260	167.74	0.884	1.317	0.575	14.61
26.1	168.4			0.261	168.39	0.887	1.322	0.576	14.64
26.2	169.0			0.262	169.03	0.891	1.327	0.578	14.67
26.3	169.7			0.263	169.68	0.894	1.332	0.579	14.70
26.4	170.3			0.264	170.32	0.898	1.337	0.580	14.73
26.5	171.0			0.265	170.97	0.901	1.342	0.581	14.75
26.6	171.6			0.266	171.61	0.904	1.347	0.582	14.78
26.7	172.3			0.267	172.26	0.908	1.352	0.583	14.81
26.8	172.9			0.268	172.90	0.911	1.357	0.584	14.84
26.9	173.5			0.269	173.55	0.915	1.362	0.585	14.87
27.0	174.2			0.270	174.19	0.918	1.367	0.586	14.89
27.1	174.8			0.271	174.84	0.921	1.372	0.587	14.92
27.2	175.5			0.272	175.48	0.925	1.378	0.588	14.95
27.3	176.1			0.273	176.13	0.928	1.383	0.590	14.98
27.4	176.8			0.274	176.77	0.932	1.388	0.591	15.00
27.5	177.4			0.275	177.42	0.935	1.393	0.592	15.03
27.6	178.1			0.276	178.06	0.938	1.398	0.593	15.06
27.7	178.7			0.277	178.71	0.942	1.403	0.594	15.08
27.8	179.4			0.278	179.35	0.945	1.408	0.595	15.11
27.9	180.0			0.279	180.00	0.949	1.413	0.596	15.14
28.0	180.6			0.280	180.64	0.952	1.418	0.597	15.17
28.1	181.3			0.281	181.29	0.955	1.423	0.598	15.19
28.2	181.9			0.282	181.94	0.959	1.428	0.599	15.22
28.3	182.6			0.283	182.58	0.962	1.433	0.600	15.25
28.4	183.2			0.284	183.23	0.966	1.438	0.601	15.27
28.5	183.9			0.285	183.87	0.969	1.443	0.602	15.30
28.6	184.5			0.286	184.52	0.972	1.448	0.603	15.33
28.7	185.2			0.287	185.16	0.976	1.454	0.604	15.35
28.8	185.8			0.288	185.81	0.979	1.459	0.606	15.38
28.9	186.5			0.289	186.45	0.983	1.464	0.607	15.41
29.0	187.1			0.290	187.10	0.986	1.469	0.608	15.43
29.1	187.7			0.291	187.74	0.989	1.474	0.609	15.46
29.2	188.4			0.292	188.39	0.993	1.479	0.610	15.49
29.3	189.0			0.293	189.03	0.996	1.484	0.611	15.51
29.4	189.7			0.294	189.68	1.000	1.489	0.612	15.54
29.5	190.3			0.295	190.32	1.003	1.494	0.613	15.57
29.6	191.0			0.296	190.97	1.006	1.499	0.614	15.59
29.7	191.6			0.297	191.61	1.010	1.504	0.615	15.62
29.8	192.3			0.298	192.26	1.013	1.509	0.616	15.65
29.9	192.9			0.299	192.90	1.017	1.514	0.617	15.67

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
30.0	193.5		#5 / 16M	0.300	193.55	1.020	1.519	0.618	15.70
30.1	194.2			0.301	194.19	1.023	1.524	0.619	15.72
30.2	194.8			0.302	194.84	1.027	1.529	0.620	15.75
30.3	195.5			0.303	195.48	1.030	1.535	0.621	15.78
30.4	196.1			0.304	196.13	1.034	1.540	0.622	15.80
30.5	196.8			0.305	196.77	1.037	1.545	0.623	15.83
30.6	197.4			0.306	197.42	1.040	1.550	0.624	15.85
30.7	198.1			0.307	198.06	1.044	1.555	0.625	15.88
30.8	198.7			0.308	198.71	1.047	1.560	0.626	15.91
30.9	199.4			0.309	199.35	1.051	1.565	0.627	15.93
31.0	200.0			0.310	200.00	1.054	1.570	0.628	15.96
31.1	200.6			0.311	200.64	1.057	1.575	0.629	15.98
31.2	201.3			0.312	201.29	1.061	1.580	0.630	16.01
31.3	201.9			0.313	201.94	1.064	1.585	0.631	16.03
31.4	202.6			0.314	202.58	1.068	1.590	0.632	16.06
31.5	203.2			0.315	203.23	1.071	1.595	0.633	16.09
31.6	203.9			0.316	203.87	1.074	1.600	0.634	16.11
31.7	204.5			0.317	204.52	1.078	1.605	0.635	16.14
31.8	205.2			0.318	205.16	1.081	1.611	0.636	16.16
31.9	205.8			0.319	205.81	1.085	1.616	0.637	16.19
32.0	206.5			0.320	206.45	1.088	1.621	0.638	16.21
32.1	207.1			0.321	207.10	1.091	1.626	0.639	16.24
32.2	207.7			0.322	207.74	1.095	1.631	0.640	16.26
32.3	208.4			0.323	208.39	1.098	1.636	0.641	16.29
32.4	209.0			0.324	209.03	1.102	1.641	0.642	16.31
32.5	209.7			0.325	209.68	1.105	1.646	0.643	16.34
32.6	210.3			0.326	210.32	1.108	1.651	0.644	16.36
32.7	211.0			0.327	210.97	1.112	1.656	0.645	16.39
32.8	211.6			0.328	211.61	1.115	1.661	0.646	16.41
32.9	212.3			0.329	212.26	1.119	1.666	0.647	16.44
33.0	212.9			0.330	212.90	1.122	1.671	0.648	16.46
33.1	213.5			0.331	213.55	1.125	1.676	0.649	16.49
33.2	214.2			0.332	214.19	1.129	1.681	0.650	16.51
33.3	214.8			0.333	214.84	1.132	1.686	0.651	16.54
33.4	215.5		0.334	215.48	1.136	1.692	0.652	16.56	
33.5	216.1		0.335	216.13	1.139	1.697	0.653	16.59	
33.6	216.8		0.336	216.77	1.142	1.702	0.654	16.61	
33.7	217.4		0.337	217.42	1.146	1.707	0.655	16.64	
33.8	218.1		0.338	218.06	1.149	1.712	0.656	16.66	
33.9	218.7		0.339	218.71	1.153	1.717	0.657	16.69	
34.0	219.4		0.340	219.35	1.156	1.722	0.658	16.71	
34.1	220.0		0.341	220.00	1.159	1.727	0.659	16.74	
34.2	220.6		0.342	220.64	1.163	1.732	0.660	16.76	
34.3	221.3		0.343	221.29	1.166	1.737	0.661	16.79	
34.4	221.9		0.344	221.94	1.170	1.742	0.662	16.81	
34.5	222.6		0.345	222.58	1.173	1.747	0.663	16.83	
34.6	223.2		0.346	223.23	1.176	1.752	0.664	16.86	
34.7	223.9		0.347	223.87	1.180	1.757	0.665	16.88	
34.8	224.5		0.348	224.52	1.183	1.762	0.666	16.91	
34.9	225.2		0.349	225.16	1.187	1.768	0.667	16.93	

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
35.0	225.8			0.350	225.81	1.190	1.773	0.668	16.96
35.1	226.5			0.351	226.45	1.193	1.778	0.669	16.98
35.2	227.1			0.352	227.10	1.197	1.783	0.669	17.00
35.3	227.7			0.353	227.74	1.200	1.788	0.670	17.03
35.4	228.4			0.354	228.39	1.204	1.793	0.671	17.05
35.5	229.0			0.355	229.03	1.207	1.798	0.672	17.08
35.6	229.7			0.356	229.68	1.210	1.803	0.673	17.10
35.7	230.3			0.357	230.32	1.214	1.808	0.674	17.12
35.8	231.0			0.358	230.97	1.217	1.813	0.675	17.15
35.9	231.6			0.359	231.61	1.221	1.818	0.676	17.17
36.0	232.3			0.360	232.26	1.224	1.823	0.677	17.20
36.1	232.9			0.361	232.90	1.227	1.828	0.678	17.22
36.2	233.5			0.362	233.55	1.231	1.833	0.679	17.24
36.3	234.2			0.363	234.19	1.234	1.838	0.680	17.27
36.4	234.8			0.364	234.84	1.238	1.843	0.681	17.29
36.5	235.5			0.365	235.48	1.241	1.849	0.682	17.32
36.6	236.1			0.366	236.13	1.244	1.854	0.683	17.34
36.7	236.8			0.367	236.77	1.248	1.859	0.684	17.36
36.8	237.4			0.368	237.42	1.251	1.864	0.685	17.39
36.9	238.1			0.369	238.06	1.255	1.869	0.685	17.41
37.0	238.7			0.370	238.71	1.258	1.874	0.686	17.43
37.1	239.4			0.371	239.35	1.261	1.879	0.687	17.46
37.2	240.0			0.372	240.00	1.265	1.884	0.688	17.48
37.3	240.6			0.373	240.64	1.268	1.889	0.689	17.50
37.4	241.3			0.374	241.29	1.272	1.894	0.690	17.53
37.5	241.9			0.375	241.94	1.275	1.899	0.691	17.55
37.6	242.6			0.376	242.58	1.278	1.904	0.692	17.57
37.7	243.2			0.377	243.23	1.282	1.909	0.693	17.60
37.8	243.9			0.378	243.87	1.285	1.914	0.694	17.62
37.9	244.5			0.379	244.52	1.289	1.919	0.695	17.64
38.0	245.2			0.380	245.16	1.292	1.925	0.696	17.67
38.1	245.8			0.381	245.81	1.295	1.930	0.696	17.69
38.2	246.5			0.382	246.45	1.299	1.935	0.697	17.71
38.3	247.1			0.383	247.10	1.302	1.940	0.698	17.74
38.4	247.7			0.384	247.74	1.306	1.945	0.699	17.76
38.5	248.4			0.385	248.39	1.309	1.950	0.700	17.78
38.6	249.0			0.386	249.03	1.312	1.955	0.701	17.81
38.7	249.7			0.387	249.68	1.316	1.960	0.702	17.83
38.8	250.3			0.388	250.32	1.319	1.965	0.703	17.85
38.9	251.0			0.389	250.97	1.323	1.970	0.704	17.88
39.0	251.6			0.390	251.61	1.326	1.975	0.705	17.90
39.1	252.3			0.391	252.26	1.329	1.980	0.706	17.92
39.2	252.9			0.392	252.90	1.333	1.985	0.706	17.94
39.3	253.5			0.393	253.55	1.336	1.990	0.707	17.97
39.4	254.2			0.394	254.19	1.340	1.995	0.708	17.99
39.5	254.8			0.395	254.84	1.343	2.000	0.709	18.01
39.6	255.5			0.396	255.48	1.346	2.006	0.710	18.04
39.7	256.1			0.397	256.13	1.350	2.011	0.711	18.06
39.8	256.8			0.398	256.77	1.353	2.016	0.712	18.08
39.9	257.4			0.399	257.42	1.357	2.021	0.713	18.10

Wire Size			Bar	Area		Weight		Diameter	
W / D	MW / MD	Gauge	#	in ²	mm ²	Lbs./ ft	kg / m	Inches	mm
40.0	258.1			0.400	258.06	1.360	2.026	0.714	18.13
40.1	258.7			0.401	258.71	1.363	2.031	0.715	18.15
40.2	259.4			0.402	259.35	1.367	2.036	0.715	18.17
40.3	260.0			0.403	260.00	1.370	2.041	0.716	18.19
40.4	260.6			0.404	260.64	1.374	2.046	0.717	18.22
40.5	261.3			0.405	261.29	1.377	2.051	0.718	18.24
40.6	261.9			0.406	261.93	1.380	2.056	0.719	18.26
40.7	262.6			0.407	262.58	1.384	2.061	0.720	18.28
40.8	263.2			0.408	263.23	1.387	2.066	0.721	18.31
40.9	263.9			0.409	263.87	1.391	2.071	0.722	18.33
41.0	264.5			0.410	264.52	1.394	2.076	0.723	18.35
41.1	265.2			0.411	265.16	1.397	2.082	0.723	18.37
41.2	265.8			0.412	265.81	1.401	2.087	0.724	18.40
41.3	266.5			0.413	266.45	1.404	2.092	0.725	18.42
41.4	267.1			0.414	267.10	1.408	2.097	0.726	18.44
41.5	267.7			0.415	267.74	1.411	2.102	0.727	18.46
41.6	268.4			0.416	268.39	1.414	2.107	0.728	18.49
41.7	269.0			0.417	269.03	1.418	2.112	0.729	18.51
41.8	269.7			0.418	269.68	1.421	2.117	0.730	18.53
41.9	270.3			0.419	270.32	1.425	2.122	0.730	18.55
42.0	271.0			0.420	270.97	1.428	2.127	0.731	18.57
42.1	271.6			0.421	271.61	1.431	2.132	0.732	18.60
42.2	272.3			0.422	272.26	1.435	2.137	0.733	18.62
42.3	272.9			0.423	272.90	1.438	2.142	0.734	18.64
42.4	273.5			0.424	273.55	1.442	2.147	0.735	18.66
42.5	274.2			0.425	274.19	1.445	2.152	0.736	18.68
42.6	274.8			0.426	274.84	1.448	2.157	0.736	18.71
42.7	275.5			0.427	275.48	1.452	2.163	0.737	18.73
42.8	276.1			0.428	276.13	1.455	2.168	0.738	18.75
42.9	276.8			0.429	276.77	1.459	2.173	0.739	18.77
43.0	277.4			0.430	277.42	1.462	2.178	0.740	18.79
43.1	278.1			0.431	278.06	1.465	2.183	0.741	18.82
43.2	278.7			0.432	278.71	1.469	2.188	0.742	18.84
43.3	279.4			0.433	279.35	1.472	2.193	0.743	18.86
43.4	280.0			0.434	280.00	1.476	2.198	0.743	18.88
43.5	280.6			0.435	280.64	1.479	2.203	0.744	18.90
43.6	281.3			0.436	281.29	1.482	2.208	0.745	18.92
43.7	281.9			0.437	281.93	1.486	2.213	0.746	18.95
43.8	282.6			0.438	282.58	1.489	2.218	0.747	18.97
43.9	283.2			0.439	283.23	1.493	2.223	0.748	18.99
44.0	283.9		#6 / 19M	0.440	283.87	1.496	2.228	0.748	19.01
44.1	284.5			0.441	284.52	1.499	2.233	0.749	19.03
44.2	285.2			0.442	285.16	1.503	2.239	0.750	19.05
44.3	285.8			0.443	285.81	1.506	2.244	0.751	19.08
44.4	286.5			0.444	286.45	1.510	2.249	0.752	19.10
44.5	287.1			0.445	287.10	1.513	2.254	0.753	19.12
44.6	287.7			0.446	287.74	1.516	2.259	0.754	19.14
44.7	288.4			0.447	288.39	1.520	2.264	0.754	19.16
44.8	289.0			0.448	289.03	1.523	2.269	0.755	19.18
44.9	289.7			0.449	289.68	1.527	2.274	0.756	19.20
45.0	290.3			0.450	290.32	1.530	2.279	0.757	19.23